





System-on-chip (SoC) software and embedded player



Full Metal Body Fabrication with finishing powder coating



Complete Interactive Solution with Various Commercial Grade LCD size (43" - 55")



Simple & easy to update (less than 2 hours training)



Tempered Glass



Cloud-based content management system



10-points IR Touch Overlay for Interactive



Designed for public space usage



Designed for public space with tempered glass covered and metal heavy duty enclosure. Centralized content update remotely through Internet, including Cloud CMS. With no external button, all functions are embedded inside the unit. Digisign Floorstand is available for interactive and non-interactive screen.

Professional Display Type H

Specification	43 Inch	55 Inch	
Unit Dimension (cm)	62,8 x 50 x 173,1	79 x 48,6 x 197,7	
Unit Bezel (cm)	7,5	9,5	
Input	USB*2/HDMI*2/DP*1/VGA*1/ RS232*1/Network port*1		
Power Consumption	120 W (max)		

Professional Display Type S

JAGA JARAK, TETAP AMAN & PATUHI PROTOKOL - JAGA JARJ

Specification	43 Inch	50 Inch	55 Inch
Unit Dimension (cm)	60,5 x 50 x 172	70,2 x 50 x 182,1	76,9 x 50 x 196,5
Unit Depth (cm)	7,5	6,3	11,5
Interactive Unit Dimension (mm)	62,7 x 50 x 173,1	73 x 50 x 183,4	78,5 x 50 x 197,9
Interactive Unit Depth (mm)	9,5	8,5	9,5
Input	DVI-D. HDMI 2.0 HDCP2.2. Stereo mini-Jack, DVI, HDMI USB 2.0 x 2		
Power Consumption	100 W	125 W	143 W



Content Management Features

- ✓ Content preparation tools
- √ Campaign & schedule
- ✓ Deploy to remote client display
- √ Day to day operation in common
- √ Content creation
- √ Scheduling
- √ Centralized update
- ✓ Device monitoring and notification
- ✓ Full multimedia support (video, image, running text, audio, data, web)
- √ Remote (stop, play, restart, volume)
- √ Organization, grouping
- ✓ Interactive content (swipe, slide, touch, web, data) available
- ✓ Support small, medium and enterprise deployment
- √ Reporting
- √ User management



Content Preparation :


- Split Content Area (Video, Image, Running text)
- Scheduling timer and 24x7 operation

Digital Signage CMS-Cloud Based System Overview:

- User & admin
- CMS Cloud Services (shared & on-premise)

Product Dimension DIGISIGN Floorstand

DIGISIGN Floorstand



DIGISIGN Floorstand Interactive

