


DIGISIGN LED VIDEOTRON for



CONFERENCE - AUDITORIUM MEETING ROOM



Digisign LED Videotron adalah solusi LED Display untuk penggunaan dalam ruangan (Indoor). Produk ini berbeda dari LED Videotron yang sudah banyak tersedia di pasaran. Mempunyai keunggulan:

All In One Module - One Brand for All Component - Ready 16:9 Video Ratio - Android Controller Box - Wireless Screen Mirroring - Control Via Mobile Phone / Tablet

Module



All in One Module (Indoor P1.8 & P2.5)

Module - PCB - Receiving Card Power Supply - IC. Dalam 1 bodi

Android Controller

android  



PCON 200 2K Res
2.3 Million Pixel



PCON 600 4K Res
8.3 Million Pixel



FCON 600 4K Res
for meeting Room

Kabel



Kabel Power & Kabel LAN



Siapkan Dinding dan Rangka Videotron



Pasang Module, Kabel Network dan kabel power



Pasang dengan Stand / di dinding



116 & 145 inch Stand



173, 202, 231 inch Wall mounted



- Screen Sharing
- Split Screen
- Brightness
- Remote control
- Touch Panel (mouse)




LED CONFIG
APK



* Download LEDConfig Smart Control app on official website

Split Screen Mode

- Split Screen Between Source (Android, HDMI)
- 2 Screen
- 3 Screen
- 4 Screen
- Custom Screen




Use Exceed share to screen share from PC, Tablet, Mobile Phone (Android / Apple) up to 4 screen




Wireless Screen Sharing

Conventional Screen Sharing



Subscribe and setup in minutes Easy manage multi brand screen (Android, Tizen, WebOS, Windows) Hassle-free setup Real cloud system with Security & Backup system Streamline & detail User Management Enhanced Device Management tools Powerful Data-Set View Configuration Detailed Reporting (device, proof of play, bandwidth, layout, media)

Content Management System (CMS)



Tabel ukuran LED Module Videotron Ratio 16:9

1 module 32 x 36 cm Power Max 295 watt/m2 Average 98 watt/m2

	32	64	96	128	160	192	224	256	288	320	352	384	416	448	480	512	544	576	608	640	672	704	736											
36	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23											
72	2																																	
108	3																																	
144	4	256 x 144 cm 116" Max 1090 w Avg 370 w																																
180	5	320 x 180 cm 145" Max 1700 w Avg 700 w																																
216	6	384 x 216 cm 173" Max 2450 w Avg 820 w																																
252	7	448 x 252 cm 202" Max 3340 w Avg 1110 w																																
288	8	512 x 288 cm 231" Max 4350 w Avg 1450 w																																
324	9	576 x 324 cm 260" Max 5510 w Avg 1830 w																																
360	10	608 x 360 cm 289" Max 6460 w Avg 2150 w																																
396	11	704 x 396 cm 318" Max 8230 w Avg 2740 w																																

Ratio 21 : 9

	32	64	96	128	160	192	224	256	288	320	352	384	416	448	480	512	544	576								
36	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18								
72	2																									
108	3	256 x 108 cm 109"																								
144	4																									
180	5	416 x 180 cm 178"																								
216	6																									
252	7	576 x 252 cm 248"																								

Application Usage



PT. Inovasi Sarana Grafindo (InnoGRAPH)
 Jl. Lenteng Agung No. 15 (Jl. Baung No. 2), Jakarta Selatan, 12610, Indonesia Telp: +62 21 7883 1075
 Fax: +62 21 7883 1692 Email: cs@innograph.com

www.innograph.com