

# Digital Big Screen

DigiTRON Solution (Digisign LED Indoor Videotron) for Auditorium, Conference Hall, Meeting Room, or Executive Lounge



- Bright, clear, and captivating images for various purposes
- Available in various large screen sizes with ratios of 16:9, 3:4, Ultra wide 21:9, or custom sizes
- Affordable pricing with complete solution services (size consultation, installation, application setup)
- Cutting-edge technology in mechanical and electronics, ensuring simplicity, compactness, low maintenance, and low energy consumption

Packaged for use in:

- Auditoriums / conference halls
- Meeting room collaborations
- Decorative, promotional, or informational displays
- Other uses such as Control rooms, Business intelligence

## Usage in Auditorium / Conference Hall

Installed on large walls, connected to data source from DigiSIGN DIGITAL Podium, for self-presentation operation or desktop computer / controller for presentation materials in the area controlled by the operator."



### Note :

A PC with an interactive screen displays presentations (PPTx, PDF, MOVie, etc.) with creative interactive features. It can have additional features such as a microphone and a visualizer."


## Usage in Meeting Room (Screen Share Application)

Mounted on the wall or with a portable floor stand, equipped with screen sharing utility for meeting participants to collaborate from PCs, smartphones, or tablets.



## Usage for other purposes

It can be controlled using the DigiSIGN PLAY CMS program, which is cloud-based for easy updating of video content, promotions, and information.



## Other Usage



Control Room Display



Business intelligent Display



Lounge



Large Auditorium

## Technical Specification Explanation, Dimensions

- Sold as a complete package including INSTALLATION, equipped with iron frame structure, LED modules, RJ45 cables, and 220-volt cables.
- The iron frame and cover are installed on a sturdy wall surface and connected to the electrical panel, then linked to the room's WIFI or internet cable.
- The standard size is a 9:16 ratio, ranging from 116 inches to 318 inches, and also available in a 3:4 ratio, superwide stretch, or custom sizes that can be ordered."
- Available in 2 resolutions (PITCH 1.8mm, closest viewing distance 1.8 – 2m, and PITCH 2.5mm, closest viewing distance 2.5 meters up to 5 meters).
- Covered by a warranty for 2 (two) years, and can be extended with maintenance service (extended warranty) for the 3rd to 5th years.
- Maintenance is done with FRONT MODULE (Modules are detached from the front).

## Size Chart (Inch-cm)


**TABEL** Perbandingan Ratio dan LED Module Videotron 16:9

	32	64	96	128	160	192	224	256	288	320	352	384	416	448	480	512	544	576	608	640	704	
36	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
72	2																					
108	3																					
144	4							256 x 144 cm		116"												
180	5							320 x 180 cm		145"												
216	6								384 x 216 cm	173"												
252	7									448 x 252 cm	202"											
288	8										512 x 288 cm	231"										
324	9											608 x 360 cm	289"									
360	10																					
396	11																				704 x 396 cm	318"

21:9



4:3



**PT. Inovasi Sarana Grafindo (InnoGRAPH)**  
 Jl. Lenteng Agung No. 15 (Jl. Baung No. 2), Jakarta Selatan, 12610, Indonesia Telp: +62 21 7883 1075  
 Fax: +62 21 7883 1692 Email: cs@innograph.com

[www.innograph.com](http://www.innograph.com)



powered by  
**OSTECH**  
 CITE technology